

Netblock DPI

-
- [Linux \(Debian 9\)](#)
- [Abills](#)

Netblock DPI **libnetfilter_queue + nDPI**

:

- **ip:port**
- **(DNS)**
- **URL**
- **HTTPS**
- **(nDPI)**
-

Linux (Debian 9)

- ,

```
apt-get zip install autoconf libtool libpoconet46 g++ libnetfilter-acct-dev libnetfilter-conntrack-dev libnetfilter-cthelper0-dev libnetfilter-cttimeout-dev libnetfilter-log-dev libnetfilter-queue-dev
```

- nfq

```
wget https://github.com/max197616/nfqfilter/archive/master.zip
unzip master.zip
cd nfqfilter-master
./autogen.sh
./configure
make && make install
cp src/nfqfilter /usr/local/sbin/
touch /var/log/nfqfilter.log
```

- (**/etc/nfq/nfq.ini**), :


```
#
$conf{NETBLOCK_NFQ_ETC} = "/etc/nfq/"
# restart command line
$conf{NETBLOCK_NFQ_RESTART} = "/usr/local/sbin/nfqfilter --daemon --pidfile=/var/run/nfqfilter.
pid -c /etc/nfq/nfq.ini";
```

• :

```
/usr/abills/libexec/bildd netblock TYPE=uablock ACTIVE_BLOCK=1 DPI_BLOCK=1
```